

| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | | Wysokości | | | | | |
|------------------------|---------|------------------------|--------|--------------------|-------|--------------|----------------|----------------|-----------|----|---|---|---|---|
| od - do | średnio | I | II | III | Razem | | | | | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szk | grub. drzew | grub. bez kory | drzewna z kora | 9 | | | | | |
| 7- 8.9 | 8 | * | * | . | 1 | 0,01 0,02 | 0,01 | 0,02 | 9 | | | | | |
| 9-10.9 | 10 | * | * | ☒ | 10 | 0,02 0,02 | 0,20 | 0,20 | 10 | | | | | |
| 11-12.9 | 12 | * | * | ☐ | 8 | 0,04 0,02 | 0,32 | 0,16 | 10 | | | | | |
| 13-14.9 | 14 | * | * | | 5 | 0,05 0,03 | 0,25 | 0,15 | 10 | | | | | |
| 15-16.9 | 16 | * | | :: | 4 | 0,07 0,03 | 0,28 | 0,12 | 10 | | | | | |
| 17-18.9 | 18 | * | | ☐ | 8 | 0,11 0,04 | 0,88 | 0,32 | 12 | | | | | |
| 19-20.9 | 20 | * | | ☒ :: | 14 | 0,13 0,05 | 1,82 | 0,70 | 12 | | | | | |
| 21-22.9 | 22 | * | | ☒ | 9 | 0,18 0,06 | 1,62 5,32 | 0,54 | 14 | | | | | |
| 23-24.9 | 24 | * | | | 7 | 0,23 0,07 | 1,61 | 0,49 | 14 | | | | | |
| 25-26.9 | 26 | * | | :: | 6 | 0,30 0,08 | 1,80 | 0,48 | 16 | | | | | |
| 27-30.9 | 29 | * | | :: | 4 | 0,37 0,09 | 1,48 | 0,36 | 16 | | | | | |
| 31-34.9 | 33 | * | | . | 1 | 0,51 0,12 | 0,51 | 0,12 | 16 | 18 | | | | |
| 35-38.9 | 37 | | | . | 1 | 0,66 0,14 | 0,66 | 0,14 | 17 | | | | | |
| 39-42.9 | 41 | | | . | 1 | 0,88 0,17 | 0,88 | 0,17 | 18 | | | | | |
| 43-46.9 | 45 | | | | | | | | | | | | | |
| 47-50.9 | 49 | | | | | | | | | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | | |
| RAZEM (szt.) | | | | | 79 | | 12,32 | 3,97 | * | * | * | * | * | * |

Udziały m^3 *2,56* WC₀₁; *1,99* WC₀₂; *0,66* WC₀₃; S2A; *-7,11*
 S3; S4 *3,97* M Razem *16,29*



ulica Miodowa dz. nr 2103

Gatunek..... brzoza

str..... 2

Nr dokumentu.....

| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | Wysokości | | | | | | | | | | | | |
|------------------------|---------|------------------------|--------|--------------------|-------|--------------------|-------|--------------|-------------------|--------------|-----------|--|--|--|--|--|--|--|--|--|
| od - do | średnio | I | II | III | Razem | | | | | | | | | | | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szt. | $\frac{m^3}{szt.}$ | m^3 | | | | | | | | | | | | | |
| 1 | 2 | 3 | 4 | | | | 6 | drob. | grubizna bez kory | drob. z kora | 9 | | | | | | | | | |
| 7- 8.9 | 8 | * | * | | | | | | | | | | | | | | | | | |
| 9-10.9 | 10 | * | * | | | | | | | | | | | | | | | | | |
| 11-12.9 | 12 | * | * | | | | | | | | | | | | | | | | | |
| 13-14.9 | 14 | * | * | | | | | | | | | | | | | | | | | |
| 15-16.9 | 16 | * | | | | | | | | | | | | | | | | | | |
| 17-18.9 | 18 | * | | | | | | | | | | | | | | | | | | |
| 19-20.9 | 20 | * | | | | | | | | | | | | | | | | | | |
| 21-22.9 | 22 | * | | | | | 1 | 0,23 0,05 | 0,28 | 0,05 | 17 | | | | | | | | | |
| 23-24.9 | 24 | * | | | | | 1 | 0,32 0,06 | 0,32 | 0,06 | 17 | | | | | | | | | |
| 25-26.9 | 26 | * | | | | | | | | | | | | | | | | | | |
| 27-30.9 | 29 | * | | | | | 2 | 0,49 0,04 | 0,98 | 0,08 | 18 | | | | | | | | | |
| 31-34.9 | 33 | * | | | | | 2 | 0,62 0,10 | 1,24 | 0,20 | 18 | | | | | | | | | |
| 35-38.9 | 37 | | | | | | 2 | 0,87 0,11 | 1,74 | 0,22 | 20 | | | | | | | | | |
| 39-42.9 | 41 | | | | | | | | | | | | | | | | | | | |
| 43-46.9 | 45 | | | | | | | | | | | | | | | | | | | |
| 47-50.9 | 49 | | | | | | | | | | | | | | | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | | | | | | | | |
| RAZEM | | | | | | | 8 | | 4,56 | 0,61 | * * * * * | | | | | | | | | |

Udziały m³ WC; 0,91 WD01; 2,09 ND02; S2A; 1,35
 S3; S4 0,61 M; Razem 5,17

| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | | Wysokości | | | | | | | |
|------------------------|---------|------------------------|--------|--------------------|-------|----------------------|-------------------|-----------------|-----------|-------|------|---|---|---|---|---|
| d - do | średnio | I | II | III | Razem | | | 9 | | | | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szt | m ³ / szt | m ³ | | | | | | | | | |
| | | | | | | grub. drzew | grubizna bez kory | drzewica z kora | | | | | | | | |
| 7-8.9 | 8 | * | * | * | 1 | 0,01 | 0,01 | 0,02 | 9 | | | | | | | |
| 9-10.9 | 10 | * | * | * | 1 | 0,02 | 0,02 | 0,02 | 10 | | | | | | | |
| 11-12.9 | 12 | * | * | * | 4 | 0,04 | 0,16 | 0,08 | 10 | | | | | | | |
| 13-14.9 | 14 | * | * | * | 2 | 0,05 | 0,10 | 0,06 | 10 | | | | | | | |
| 15-16.9 | 16 | * | | * | 1 | 0,07 | 0,07 | 0,03 | 10 | | | | | | | |
| 17-18.9 | 18 | * | | * | 4 | 0,11 | 0,44 | 0,16 | 12 | | | | | | | |
| 19-20.9 | 20 | * | | * | 2 | 0,13 | 0,26 | 0,10 | 12 | | | | | | | |
| 21-22.9 | 22 | * | | * | 4 | 0,18 | 0,72 | 0,24 | 14 | | | | | | | |
| 23-24.9 | 24 | * | | * | 3 | 0,23 | 0,69 | 0,21 | 14 | | | | | | | |
| 25-26.9 | 26 | * | | * | 5 | 0,30 | 1,50 | 0,40 | 16 | | | | | | | |
| 27-30.9 | 29 | * | | * | 11 | 0,37 | 4,07 | 0,99 | 16 | | | | | | | |
| 31-34.9 | 33 | * | | * | 4 | 0,51 | 2,04 | 0,48 | 17 | | | | | | | |
| 35-38.9 | 37 | | | * | 6 | 0,86 | 3,96 | 0,84 | 17 | | | | | | | |
| 39-42.9 | 41 | | | * | 2 | 0,88 | 1,76 | 0,34 | 18 | | | | | | | |
| 43-46.9 | 45 | | | * | 1 | 1,20 | 1,20 | 0,19 | 20 | | | | | | | |
| 47-50.9 | 49 | | | * | 1 | 1,49 | 1,49 | 0,21 | 21 | | | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | | | | |
| RAZEM (szt.) | | | | | | | | | 41 | | | | | | | |
| RAZEM (szt.) | | | | | | | | | 52 | 18,49 | 4,37 | * | * | * | * | * |

Udziały m³ 1,64 w.t.; 7,55 NCO2; 3,34 NCO3; 52A; 596
 S3; S4 4,37 M Razem - 22,86

| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | Wysokości | | | | | |
|------------------------|---------|------------------------|--------------|---------------------------|-------|---------------------------------------|-------------------|-----------------|----|----|--|--|--|
| od - do | średnio | I WA | II WB, SI | III WC, WD, S2, S3, S4 | Razem | | | | | | | | |
| 1 | 2 | 3 | 4 | | szt. | $\frac{m^3}{szt.}$ grubo- drob. | m^3 bez kora | drob. z kora | 9 | | | | |
| 7- 8.9 | 8 | * | * | · · | 2 | 0,01 0,02 | 0,02 | 0,04 | 9 | | | | |
| 9-10.9 | 10 | * | * | □ | 9 | 0,02 0,02 | 0,18 | 0,18 | 10 | | | | |
| 11-12.9 | 12 | * | * | □ · | 15 | 0,04 0,02 | 0,60 | 0,30 | 10 | | | | |
| 13-14.9 | 14 | * | * | □ · | 11 | 0,05 0,03 | 0,55 | 0,33 | 9 | 12 | | | |
| 15-16.9 | 16 | * | | □ · | 15 | 0,07 0,03 | 1,05 | 0,45 | 10 | | | | |
| 17-18.9 | 18 | * | | □ · | 14 | 0,11 0,04 | 1,54 | 0,56 | 12 | | | | |
| 19-20.9 | 20 | * | | □ · | 11 | 0,13 0,05 | 1,43 | 0,55 | 12 | | | | |
| 21-22.9 | 22 | * | | □ □ | 19 | 0,18 0,06 | 3,42 | 1,14 | 14 | | | | |
| 23-24.9 | 24 | * | | □ □ | 16 | 0,23 0,07 | 3,68 | 1,12 | 14 | | | | |
| 25-26.9 | 26 | * | | □ · | 12 | 0,30 0,08 | 3,60 | 0,96 | 16 | | | | |
| 27-30.9 | 29 | * | | □ · | 14 | 0,37 0,09 | 5,18 | 1,26 | 16 | | | | |
| 31-34.9 | 33 | * | | □ □ | 21 | 0,51 0,12 | 10,71 | 2,52 | 17 | | | | |
| 35-38.9 | 37 | | | □ | 7 | 0,66 0,14 | 4,62 | 0,98 | 17 | | | | |
| 39-42.9 | 41 | | | · · | 4 | 0,88 0,17 | 3,52 | 0,68 | 18 | | | | |
| 43-46.9 | 45 | | | · · | 2 | 1,20 0,19 | 2,40 | 0,38 | 20 | | | | |
| 47-50.9 | 49 | | | · · | 2 | 1,49 0,21 | 2,98 | 0,42 | 21 | | | | |
| 51-54.9 | 53 | | | · | 1 | 1,77 0,21 | 1,77 | 0,21 | 21 | | | | |

RAZEM 175 47,25 12,08 * * * * *

Udziały
 m^3 5,46 WC01; 15,38 WC02; 8,00 WC03; S2A; 18,41
 S3; S4; 12,08M Razem 59,33

| Piersńca w korze (cm) | | Liczba drzew w grupach | | | | | | Wysokości | | | | | | |
|------------------------|---------|------------------------|--------|--------------------|-------|---------------------|--------------------|------------------|------|----|---|---|---|---|
| od - do | średnio | I | II | III | Razem | | | 9 | | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szt | m ³ /szt | m ³ | | | | | | | |
| | | | | | szk | gnubizna drob | gnubizna bez korzy | drobnica z korzy | | | | | | |
| 7-8.9 | 8 | * | * | | | | | | | | | | | |
| 9-10.9 | 10 | * | * | * | 2 | 0,03 0,02 | 0,06 | 0,04 | 10 | | | | | |
| 11-12.9 | 12 | * | * | | | | | | | | | | | |
| 13-14.9 | 14 | * | * | * | 1 | 0,10 0,05 | 0,10 | 0,05 | 12 | | | | | |
| 15-16.9 | 16 | * | | | | | | | | | | | | |
| 17-18.9 | 18 | * | | | | | | | | | | | | |
| 19-20.9 | 20 | * | | * | 2 | 0,14 0,04 | 0,14 | 0,08 | 10 | 13 | | | | |
| 21-22.9 | 22 | * | | * | 1 | 0,26 0,05 | 0,26 | 0,05 | 16 | | | | | |
| 23-24.9 | 24 | * | | * | 1 | 0,32 0,06 | 0,32 | 0,06 | 17 | | | | | |
| 25-26.9 | 26 | * | | | | | | | | | | | | |
| 27-30.9 | 29 | * | | | | | | | | | | | | |
| 31-34.9 | 33 | * | | | | | | | | | | | | |
| 35-38.9 | 37 | | | | | | | | | | | | | |
| 39-42.9 | 41 | | | | | | | | | | | | | |
| 43-46.9 | 45 | | | | | | | | | | | | | |
| 47-50.9 | 49 | | | | | | | | | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | | |
| RAZEM (szt.) | | | | | 71 | | 1,08 | 0,28 | * | * | * | * | * | * |
| Udziały m ³ | 0,24 | WODA | | | | | 0,84-52A | | | | | | | |
| | | S3; | | S4 | | 0,28 | M | Razem | 1,36 | | | | | |

| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | Wysokości | | | | | | | | | | | | |
|------------------------|--|------------------------|--------|--------------------|-------|-----------------------|--|-----------|---|---|---|-----------------------------------|---|---|---|---|---|---|---|---|
| od - do | średnio | I | II | III | Razem | | | | | | | | | | | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szt. | m ³ dob | m ³ grubizna bez kora | | | | | m ³ drob. z kora | | | | | | | | |
| 1 | 2 | 3 | 4 | | 6 | | | | 9 | | | | | | | | | | | |
| 7- 8.9 | 8 | * | * | | | | | | | | | | | | | | | | | |
| 9-10.9 | 10 | * | * | | | | | | | | | | | | | | | | | |
| 11-12.9 | 12 | * | * | | | | | | | | | | | | | | | | | |
| 13-14.9 | 14 | * | * | | 1 | 0,06 0,03 | 0,08 | 0,03 | 8 | | | | | | | | | | | |
| 15-16.9 | 16 | * | | | | | | | | | | | | | | | | | | |
| 17-18.9 | 18 | * | | | 1 | 0,12 0,04 | 0,12 | 0,04 | 9 | | | | | | | | | | | |
| 19-20.9 | 20 | * | | | | | | | | | | | | | | | | | | |
| 21-22.9 | 22 | * | | | | | | | | | | | | | | | | | | |
| 23-24.9 | 24 | * | | | | | | | | | | | | | | | | | | |
| 25-26.9 | 26 | * | | | | | | | | | | | | | | | | | | |
| 27-30.9 | 29 | * | | | | | | | | | | | | | | | | | | |
| 31-34.9 | 33 | * | | | | | | | | | | | | | | | | | | |
| 35-38.9 | 37 | | | | | | | | | | | | | | | | | | | |
| 39-42.9 | 41 | | | | | | | | | | | | | | | | | | | |
| 43-46.9 | 45 | | | | | | | | | | | | | | | | | | | |
| 47-50.9 | 49 | | | | | | | | | | | | | | | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | | | | | | | | |
| RAZEM | | | | | 2 | 0,18 | 0,07 | * | * | * | * | * | * | * | * | * | * | * | * | * |
| Udziały m ³ | WC; WD 0,18 - S2A; S3; S4 0,07 M Razem 0,25 | | | | | | | | | | | | | | | | | | | |

| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | Wysokości | | | | | | |
|------------------------|----------------|------------------------|-----------------|--------------------|----------------|--------------|-------------------------|-----------------|--------------------|---|------------------|---|---|---|
| od - do | średnio | I | II | III | Razem | | | | | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szt | szk | m ³ | | | | | | | |
| | | | | | | głęb. droł | głęb. bez kory | dł. obn. z kory | 9 | | | | | |
| 7- 8.9 | 8 | * | * | | | | | | | | | | | |
| 9-10.9 | 10 | * | * | | | | | | | | | | | |
| 11-12.9 | 12 | * | * | 0 0 | 3 | 0,06 0,02 | 0,18 | 0,06 | 9 | | | | | |
| 13-14.9 | 14 | * | * | | | | | | | | | | | |
| 15-16.9 | 16 | * | | | | | | | | | | | | |
| 17-18.9 | 18 | * | | | | | | | | | | | | |
| 19-20.9 | 20 | * | | | | | | | | | | | | |
| 21-22.9 | 22 | * | | | | | | | | | | | | |
| 23-24.9 | 24 | * | | | | | | | | | | | | |
| 25-26.9 | 26 | * | | | | | | | | | | | | |
| 27-30.9 | 29 | * | | | | | | | | | | | | |
| 31-34.9 | 33 | * | | | | | | | | | | | | |
| 35-38.9 | 37 | | | | | | | | | | | | | |
| 39-42.9 | 41 | | | | | | | | | | | | | |
| 43-46.9 | 45 | | | | | | | | | | | | | |
| 47-50.9 | 49 | | | | | | | | | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | | |
| RAZEM (szt.) | | | | | 3 | 0,18 | 0,06 | 0,06 | * | * | * | * | * | * |
| Udziały m ³ | W; | | S3; | | S4 | | 0,18 - S2A; | | 0,06 M | | 0,26 | | | |

| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | Wysokości | | | | | | | | | | | |
|------------------------|--|------------------------|--------|--------------------|-------|------------------------|--|-----------|----|---|---|---|-----------------------------------|---|---|---|---|---|---|
| od - do | średnio | I | II | III | Razem | | | | | | | | | | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szt. | m ³ drob | m ³ grubizna bez kory | | | | | | m ³ drob. z kora | | | | | | |
| 1 | 2 | 3 | 4 | | 6 | | | | 9 | | | | | | | | | | |
| 7- 8.9 | 8 | * | * | | | | | | | | | | | | | | | | |
| 9-10.9 | 10 | * | * | | | | | | | | | | | | | | | | |
| 11-12.9 | 12 | * | * | | | | | | | | | | | | | | | | |
| 13-14.9 | 14 | * | * | | 1 | 0,05 0,03 | 0,05 | 0,03 | 10 | | | | | | | | | | |
| 15-16.9 | 16 | * | | | 1 | 0,07 0,03 | 0,07 | 0,03 | 10 | | | | | | | | | | |
| 17-18.9 | 18 | * | | | 2 | 0,11 0,04 | 0,22 | 0,08 | 12 | | | | | | | | | | |
| 19-20.9 | 20 | * | | | 3 | 0,13 0,05 | 0,39 | 0,15 | 12 | | | | | | | | | | |
| 21-22.9 | 22 | * | | | | | | | | | | | | | | | | | |
| 23-24.9 | 24 | * | | | | | | | | | | | | | | | | | |
| 25-26.9 | 26 | * | | | 1 | 0,30 0,08 | 0,30 | 0,08 | 16 | | | | | | | | | | |
| 27-30.9 | 29 | * | | | | | | | | | | | | | | | | | |
| 31-34.9 | 33 | * | | | 1 | 0,51 0,12 | 0,51 | 0,12 | 17 | | | | | | | | | | |
| 35-38.9 | 37 | | | | 1 | 0,66 0,14 | 0,66 | 0,14 | 17 | | | | | | | | | | |
| 39-42.9 | 41 | | | | 1 | 0,88 0,17 | 0,88 | 0,17 | 18 | | | | | | | | | | |
| 43-46.9 | 45 | | | | | | | | | | | | | | | | | | |
| 47-50.9 | 49 | | | | | | | | | | | | | | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | | | | | | | |
| RAZEM | | | | | 6/4 | | 3,08 | 0,80 | * | * | * | * | * | * | * | * | * | * | * |
| Udziały m ³ | ...0,22 WC ₀₁ ; 0,88 WB ₀₂ ; ... 0,66 N ₀₃ ; ... 1,32 - S _{2A} ; S ₃ ; S ₄ ; M Razem 3,88 | | | | | | | | | | | | | | | | | | |

| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | | Wysokości | | | | | |
|------------------------|---|------------------------|--------|--------------------|-------|----------------|--------------------|----------------|-----------|--|--|--|--|--|
| od - do | średnio | I | II | III | Razem | | | 9 | | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szt | m ³ | m ³ | | | | | | | |
| | | | | | szk | gub. i m. drob | gub. i m. bez korz | drabnie z korz | | | | | | |
| 7- 8.9 | 8 | * | * | | | | | | | | | | | |
| 9-10.9 | 10 | * | * | •• | 3 | 0,02 0,02 | 0,06 | 0,06 | 10 | | | | | |
| 11-12.9 | 12 | * | * | ' | 1 | 0,04 0,02 | 0,04 | 0,02 | 10 | | | | | |
| 13-14.9 | 14 | * | * | •• | 2 | 0,05 0,03 | 0,10 | 0,06 | 10 | | | | | |
| 15-16.9 | 16 | * | | •• | 2 | 0,07 0,03 | 0,14 | 0,06 | 10 | | | | | |
| 17-18.9 | 18 | * | | •• | 2 | 0,11 0,04 | 0,22 | 0,08 | 12 | | | | | |
| 19-20.9 | 20 | * | | ☐ | 7 | 0,13 0,05 | 0,91 | 0,35 | 12 | | | | | |
| 21-22.9 | 22 | * | | ☐ | 8 | 0,18 0,06 | 1,44 | 0,48 | 14 | | | | | |
| 23-24.9 | 24 | * | | ☐ | 5 | 0,23 0,07 | 1,15 | 0,35 | 14 | | | | | |
| 25-26.9 | 26 | * | | ☒ | 10 | 0,30 0,08 | 3,00 | 0,80 | 16 | | | | | |
| 27-30.9 | 29 | * | | ☒☒ | 20 | 0,37 0,09 | 7,40 | 1,80 | 16 | | | | | |
| 31-34.9 | 33 | * | | ☒☒• | 21 | 0,51 0,12 | 10,71 | 2,52 | 17 | | | | | |
| 35-38.9 | 37 | | | ☒ | 10 | 0,66 0,14 | 6,60 | 1,40 | 17 | | | | | |
| 39-42.9 | 41 | | | •• | 2 | 0,88 0,17 | 1,76 | 0,34 | 18 | | | | | |
| 43-46.9 | 45 | | | •• | 2 | 1,20 0,19 | 2,40 | 0,38 | 20 | | | | | |
| 47-50.9 | 49 | | | | | | | | | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | | |
| RAZEM (szt.) | | | | | 95 | | 35,93 | 8,70 | * * * * * | | | | | |
| Udziały m ³ | <i>3,11</i> WCOA; <i>18,53</i> NCO2; <i>3,12</i> NCO3; <i>11,17</i> S2A; S3; S4 <i>8,70</i> M Razem <i>44,63</i> | | | | | | | | | | | | | |

| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | | Wysokości | | | | | |
|------------------------|--|------------------------|--------|--------------------|---------|---------------------------|-------------------------------|------|-----------|---|---|---|--------------------------------|---|
| od - do | średnio | I | II | III | Razem - | | | 9 | | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szk | m ³ grub. drob | m ³ grub. bez kory | | | | | | m ³ drobniak z korą | |
| 7- 8.9 | 8 | * | * | o | 1 | 0,01 0,02 | 0,01 | 0,02 | 9 | | | | | |
| 9-10.9 | 10 | * | * | o | 6 | 0,02 0,02 | 0,12 | 0,12 | 10 | | | | | |
| 11-12.9 | 12 | * | * | o | 4 | 0,04 0,02 | 0,16 | 0,08 | 10 | | | | | |
| 13-14.9 | 14 | * | * | o | 4 | 0,05 0,03 | 0,20 | 0,12 | 10 | | | | | |
| 15-16.9 | 16 | * | | o | 3 | 0,07 0,03 | 0,21 | 0,09 | 10 | | | | | |
| 17-18.9 | 18 | * | | o | 12 | 0,11 0,04 | 1,32 | 0,48 | 12 | | | | | |
| 19-20.9 | 20 | * | | o | 9 | 0,13 0,05 | 1,17 | 0,45 | 12 | | | | | |
| 21-22.9 | 22 | * | | o | 5 | 0,18 0,06 | 0,90 | 0,30 | 14 | | | | | |
| 23-24.9 | 24 | * | | o | 7 | 0,23 0,07 | 1,61 | 0,49 | 14 | | | | | |
| 25-26.9 | 26 | * | | o | 9 | 0,30 0,08 | 2,70 | 0,72 | 16 | | | | | |
| 27-30.9 | 29 | * | | o | 12 | 0,37 0,09 | 4,44 | 1,08 | 16 | | | | | |
| 31-34.9 | 33 | * | | o | 12 | 0,51 0,12 | 6,12 | 1,44 | 17 | | | | | |
| 35-38.9 | 37 | | | o | 5 | 0,66 0,14 | 3,30 | 0,70 | 17 | | | | | |
| 39-42.9 | 41 | | | o | 1 | 0,88 0,17 | 0,88 | 0,17 | 18 | | | | | |
| 43-46.9 | 45 | | | o | 3 | 1,20 0,19 | 3,60 | 0,57 | 20 | | | | | |
| 47-50.9 | 49 | | | | | | | | | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | | |
| RAZEM (szt.) | | | | | 93 | | 26,74 | 6,85 | * | * | * | * | * | * |
| Udziały m ³ | ...3,23... Wco1; ...10,40...Wco2; ...3,36...Wco3; 9,75 S2A;..... S3; S4 6,85 M Razem 33,59. | | | | | | | | | | | | | |

| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | Wysokości | | | | | | | | |
|------------------------|--|------------------------|--------|--------------------|-------|------------------------|--|-----------------------------------|-----------|--|--|--|--|--|
| od - do | średnio | I | II | III | Razem | | | | | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szt. | m ² szt. | m ³ grubizna bez kory | m ³ drob. z kora | | | | | | |
| 1 | 2 | 3 | 4 | | 6 | | | | 9 | | | | | |
| 7- 8.9 | 8 | * | * | | | | | | | | | | | |
| 9-10.9 | 10 | * | * | | | | | | | | | | | |
| 11-12.9 | 12 | * | * | | 1 | 0,05 0,02 | 0,05 | 0,02 | 11 | | | | | |
| 13-14.9 | 14 | * | * | | | | | | | | | | | |
| 15-16.9 | 16 | * | | | 1 | 0,12 0,05 | 0,12 | 0,05 | 13 | | | | | |
| 17-18.9 | 18 | * | | | | | | | | | | | | |
| 19-20.9 | 20 | * | | | | | | | | | | | | |
| 21-22.9 | 22 | * | | | | | | | | | | | | |
| 23-24.9 | 24 | * | | | 1 | 0,32 0,06 | 0,32 | 0,06 | 17 | | | | | |
| 25-26.9 | 26 | * | | | | | | | | | | | | |
| 27-30.9 | 29 | * | | | 4 | 0,53 0,09 | 2,12 | 0,36 | 20 | | | | | |
| 31-34.9 | 33 | * | | | 3 | 0,62 0,10 | 1,86 | 0,30 | 18 | | | | | |
| 35-38.9 | 37 | | | | 2 | 0,92 0,12 | 1,84 | 0,24 | 21 | | | | | |
| 39-42.9 | 41 | | | | 1 | 1,12 0,15 | 1,12 | 0,15 | 21 | | | | | |
| 43-46.9 | 45 | | | | | | | | | | | | | |
| 47-50.9 | 49 | | | | | | | | | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | | |
| RAZEM | | | | | 13 | | 7,43 | 1,18 | * * * * * | | | | | |
| Udziały m ³ | 0,22 wD01; 4,07 wD02; 0,78 wD03; 2,36 wD04; S2A; S3; S4; 1,18 M; Razem 8,61 | | | | | | | | | | | | | |



| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | | Wysokości | | | | |
|------------------------|----------|------------------------|--------|--------------------|-------------|---------------------|-----------------|-------|-----------|---|---|---|---|
| od - do | średnica | I | II | III | Razem | | | 9 | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szt | m ² /szt | m ³ | | | | | | |
| | | | | | grub. drzew | grubizna bez kory | drabnica z korą | | | | | | |
| 7- 8.9 | 8 | * | * | ☒ | 5 | 0,01 0,02 | 0,05 | 0,10 | 9 | | | | |
| 9-10.9 | 10 | * | * | ☒ ☐ | 14 | 0,02 0,02 | 0,28 | 0,28 | 10 | | | | |
| 11-12.9 | 12 | * | * | ☒ ☐ | 12 | 0,04 0,02 | 0,48 | 0,24 | 10 | | | | |
| 13-14.9 | 14 | * | * | ☐ | 3 | 0,09 0,03 | 0,15 | 0,09 | 10 | | | | |
| 15-16.9 | 16 | * | | ☒ ☐ | 13 | 0,07 0,03 | 0,91 | 0,39 | 10 | | | | |
| 17-18.9 | 18 | * | | ☒ ☐ | 13 | 0,11 0,04 | 1,43 | 0,52 | 12 | | | | |
| 19-20.9 | 20 | * | | ☐ | 8 | 0,13 0,05 | 1,04 | 0,40 | 12 | | | | |
| 21-22.9 | 22 | * | | ☒ ☐ | 14 | 0,18 0,06 | 2,52 | 0,84 | 14 | | | | |
| 23-24.9 | 24 | * | | ☒ | 9 | 0,23 0,07 | 2,07 | 0,63 | 14 | | | | |
| 25-26.9 | 26 | * | | ☒ ☐ | 12 | 0,30 0,08 | 3,60 | 0,96 | 16 | | | | |
| 27-30.9 | 29 | * | | ☒ ☐ | 17 | 0,37 0,09 | 6,29 | 1,53 | 16 | | | | |
| 31-34.9 | 33 | * | | ☒ ☐ | 18 | 0,51 0,12 | 9,18 | 2,16 | 17 | | | | |
| 35-38.9 | 37 | | | ☒ ☐ | 14 | 0,66 0,14 | 9,24 | 1,96 | 17 | | | | |
| 39-42.9 | 41 | | | ☐ | 3 | 0,88 0,17 | 2,64 | 0,51 | 18 | | | | |
| 43-46.9 | 45 | | | ☐ | 2 | 1,20 0,19 | 2,40 | 0,38 | 20 | | | | |
| 47-50.9 | 49 | | | | | | | | | | | | |
| 51-54.9 | 53 | | | ☐ | 1 | 1,86 0,21 | 3,72 | 0,42 | 22 | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | |
| RAZEM (szt.) | | | | | 159 | | 46,00 | 11,41 | * | * | * | * | * |

Udziały m³ *4,25* Wca1; *18,53* Nco2; *6,57* Nco3 *16,65* S2A;
 S3; S4 *11,41* M Razem *57,41*



| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | Wysokości | | | | | |
|------------------------|--|------------------------|--------|--------------------|-------|------------------------|--|-----------------------------------|----|----|--|--|--|
| od - do | średnio | I | II | III | Razem | | | | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szt. | m ³ szt. | m ³ grubizna bez kory | m ³ drob. z kora | 9 | | | | |
| 1 | 2 | 3 | 4 | | 6 | | | | | | | | |
| 7- 8.9 | 8 | * | * | | | | | | | | | | |
| 9-10.9 | 10 | * | * | | | | | | | | | | |
| 11-12.9 | 12 | * | * | | 1 | 0,03 0,02 | 0,05 | 0,02 | 11 | | | | |
| 13-14.9 | 14 | * | * | | 1 | 0,07 0,03 | 0,07 | 0,03 | 11 | | | | |
| 15-16.9 | 16 | * | | | | | | | | | | | |
| 17-18.9 | 18 | * | | | 3 | 0,16 0,05 | 0,48 | 0,15 | 18 | 17 | | | |
| 19-20.9 | 20 | * | | | 2 | 0,19 0,04 | 0,38 | 0,08 | 17 | | | | |
| 21-22.9 | 22 | * | | | 1 | 0,28 0,05 | 0,28 | 0,05 | 17 | | | | |
| 23-24.9 | 24 | * | | | | | | | 17 | | | | |
| 25-26.9 | 26 | * | | | 5 | 0,34 0,06 | 1,70 | 0,30 | 18 | | | | |
| 27-30.9 | 29 | * | | | 1 | 0,49 0,04 | 0,49 | 0,04 | 18 | | | | |
| 31-34.9 | 33 | * | | | | | | | 18 | | | | |
| 35-38.9 | 37 | | | | 1 | 0,87 0,11 | 0,87 | 0,11 | 20 | | | | |
| 39-42.9 | 41 | | | | | | | | | | | | |
| 43-46.9 | 45 | | | | | | | | | | | | |
| 47-50.9 | 49 | | | | | | | | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | |
| RAZEM | | | | | 15 | 4,32 | 0,78 | * * * * * | | | | | |
| Udziały m ³ | 1,19 : WD01; 0,95 : WD02 ; 2,18 : S2A; S3; S4 0,78 : M Razem 5,10 | | | | | | | | | | | | |

| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | | Wysokości | | | | | |
|------------------------|----------|------------------------|--------|--------------------|-------|----------------|----------------|---------------|-------------|---|---|---|---|---|
| od - do | średnica | I | II | III | Razem | | | 9 | | | | | | |
| | | WA | WB, S1 | WC, WD, S2, S3, S4 | szt | m ³ | m ³ | | | | | | | |
| | | | | | | szk | gub. drob. | gub. bez kory | dob. z kora | | | | | |
| 7-8.9 | 8 | * | * | N | 9 | 0,01 0,02 | 0,09 | 0,18 | 9 | | | | | |
| 9-10.9 | 10 | * | * | N | 8 | 0,02 0,02 | 0,16 | 0,16 | 10 | | | | | |
| 11-12.9 | 12 | * | * | N | 6 | 0,04 0,02 | 0,24 | 0,12 | 10 | | | | | |
| 13-14.9 | 14 | * | * | N | 8 | 0,05 0,03 | 0,40 | 0,24 | 10 | | | | | |
| 15-16.9 | 16 | * | * | N | 6 | 0,07 0,03 | 0,42 | 0,18 | 10 | | | | | |
| 17-18.9 | 18 | * | * | N | 10 | 0,11 0,04 | 1,10 | 0,40 | 12 | | | | | |
| 19-20.9 | 20 | * | * | N | 10 | 0,13 0,05 | 1,30 | 0,50 | 12 | | | | | |
| 21-22.9 | 22 | * | * | N | 6 | 0,18 0,06 | 1,08 | 0,36 | 14 | | | | | |
| 23-24.9 | 24 | * | * | N | 4 | 0,23 0,07 | 0,92 | 0,28 | 14 | | | | | |
| 25-26.9 | 26 | * | * | N | 2 | 0,30 0,08 | 0,60 | 0,16 | 16 | | | | | |
| 27-30.9 | 29 | * | * | N | 8 | 0,37 0,09 | 2,96 | 0,72 | 16 | | | | | |
| 31-34.9 | 33 | * | * | N | 5 | 0,51 0,12 | 1,05 | 0,60 | 17 | | | | | |
| 35-38.9 | 37 | | | N | 2 | 0,66 0,14 | 1,32 | 0,28 | 17 | | | | | |
| 39-42.9 | 41 | | | N | 1 | 0,88 0,17 | 0,88 | 0,17 | 18 | | | | | |
| 43-46.9 | 45 | | | N | 1 | 1,20 0,19 | 1,20 | 0,19 | 20 | | | | | |
| 47-50.9 | 49 | | | N | 2 | 1,49 0,24 | 2,98 | 0,48 | 21 | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | | |
| RAZEM (szt.) | | | | | 88 | | 16,70 | 5,02 | * | * | * | * | * | * |

Udziały m³ 1,14... Wca; 4,00 WCO2; 3,80 WCO3; 7,76 SZA;
 S3; S4 5,02 M Razem 21,72



| Pierśnica w korze (cm) | | Liczba drzew w grupach | | | | | | Wysokości | | | | | |
|------------------------|---------|------------------------|--------------|---------------------------|-------|-------------------|----------------------|-----------------|----|---|---|---|---|
| od - do | średnio | I WA | II WB, SI | III WC, WD, S2, S3, S4 | Razem | | | | | | | | |
| 1 | 2 | 3 | 4 | | szt. | $\frac{m^2}{szt}$ | m^3 | | | | | | |
| | | | | | 6 | grubizna drob | grubizna bez kory | drob. z kora | 9 | | | | |
| 7- 8.9 | 8 | * | * | * | 1 | 0,01 0,01 | 0,01 | 0,01 | | | | | |
| 9-10.9 | 10 | * | * | | | | | 0,01 | | | | | |
| 11-12.9 | 12 | * | * | o o | 2 | 0,05 0,02 | 0,10 | 0,04 | 11 | | | | |
| 13-14.9 | 14 | * | * | o | 1 | 0,10 0,05 | 0,10 | 0,05 | 12 | | | | |
| 15-16.9 | 16 | * | | o o | 3 | 0,12 0,06 | 0,36 | 0,15 | 13 | | | | |
| 17-18.9 | 18 | * | | o | 1 | 0,16 0,05 | 0,16 | 0,05 | 14 | | | | |
| 19-20.9 | 20 | * | | o | 1 | 0,20 0,04 | 0,20 | 0,04 | 14 | | | | |
| 21-22.9 | 22 | * | | o | 1 | 0,26 0,05 | 0,26 | 0,05 | 16 | | | | |
| 23-24.9 | 24 | * | | o o | 2 | 0,32 0,06 | 0,64 | 0,12 | 17 | | | | |
| 25-26.9 | 26 | * | | | | | | | 17 | | | | |
| 27-30.9 | 29 | * | | o | 1 | 0,53 0,09 | 0,53 | 0,09 | 20 | | | | |
| 31-34.9 | 33 | * | | | | | | | | | | | |
| 35-38.9 | 37 | | | o | 1 | 0,92 0,12 | 0,92 | 0,12 | 21 | | | | |
| 39-42.9 | 41 | | | | | | | | | | | | |
| 43-46.9 | 45 | | | | | | | | | | | | |
| 47-50.9 | 49 | | | | | | | | | | | | |
| 51-54.9 | 53 | | | | | | | | | | | | |
| 55-58.9 | 57 | | | | | | | | | | | | |
| 59-62.9 | 61 | | | | | | | | | | | | |
| 63-66.9 | 65 | | | | | | | | | | | | |
| 67-70.9 | 69 | | | | | | | | | | | | |
| 71-74.9 | 73 | | | | | | | | | | | | |
| 75-78.9 | 77 | | | | | | | | | | | | |
| 79-82.9 | 81 | | | | | | | | | | | | |
| 83-86.9 | 85 | | | | | | | | | | | | |
| 87-90.9 | 89 | | | | | | | | | | | | |
| RAZEM | | | | | 14 | 3,28 | 0,72 | * | * | * | * | * | * |

Udziały m³ 0,45 W D01; 1,04 W D02 1,82 S2A; S3; S4 0,72 M Razem 4,00